

Gram Negative Antimicrobial Susceptibility Panels

Antimicrobial	Enterobacterales	HECK-YES Organisms [1]	<i>Pseudomonas aeruginosa</i>	Miscellaneous NFGNB	<i>Acinetobacter baumannii</i> complex
Amikacin	(X)	(X)	(X) [U]	(X)	(X)
Amoxicillin/Clavulanic Acid	(X)				
Ampicillin	X				
Ampicillin/Sulbactam	(X)				X
Azteronam	[C]				
Cefazolin	X				
Cefepime	(X)	X	X	(X)	X
Ceftazadime	[C]		X	X	X
Ceftazadime/Avibactam	(X)	(X)	(X)		
Cefotaxime	X				(X)
Cefoxitin	X				
Cefpodoxime	(X)				
Cefuroxime	(X)				
Ceftolozane/Tazobactam	[C]		(X)		
Ceftriaxone	X				
Ciprofloxacin	X	X	X	X	X
Doxycycline	(X)	X			
Ertapenem	(X)	X			
Gentamicin	X	X		X	X
Imipenem/Relebactam	(X)	(X)	(X)		
Levofloxacin	X	X	X	X [2]	X
Meropenem	(X)	X	(X)	(X)	(X)
Meropenem/Vaborbactam	(X)	(X)			
Minocycline	[C]	[C]		X [2]	(X)
Nitrofurantoin [U]	[R]	[R]			
Piperacillin/Tazobactam	(X)		X	X	(X)
Tobramycin	(X)	(X)	X	(X)	X
Trimethoprim/Sulfamethoxazole	X	X		X [2]	(X)

FOOTNOTES: (Note: Shaded boxes indicated drugs that were not tested and/or are not indicated for this organism)

Cefazolin, Cefoxitin, Cefpodoxime, Cefuroxime, Doxycycline, Ertapenem, Imipenem/Relebactam, Minocycline, and Trimethoprim/Sulfamethoxazole are not reported on CSF isolates. Ciprofloxacin and Levofloxacin available for CSF upon consult.

X: Routinely Reported **(X):** The drug is reported only when more narrow-spectrum drug(s) are non-susceptible, or the drug itself is non-susceptible.

[U]: Urine isolates only **[C]:** Available for reporting upon consult **[R]:** Restricted reporting; reported if I or R; S only reported on *E. coli*

[1]: HECK-YES organisms: *Hafnia alveia*, *Enterobacter cloacae* complex, *Citrobacter freundii* complex, *Klebsiella aerogenes*, and *Yersinia enterocolitica*.

[2]: Only antibiotics reported on *Stenotrophomonas maltophilia* **NFGNB:** Non-glucose fermenting Gram Negative Bacilli

Gram Positive Antimicrobial Susceptibility Panels

Bacterial Species	<i>Staphylococcus</i>	<i>Enterococcus</i>	<i>S. pneumoniae</i>		<i>S. agalactiae</i> (Group B Strep)	<i>Streptococcus</i> , B-hemolytic group		<i>Streptococcus</i> , Viridans Group
Specimen Type	All	All	Blood, CSF	Other Sources	From GBSNAT reflex	Blood, CSF	Other Sources	All
Ampicillin		X						
Ceftaroline	[C]							
Cefotaxime								
Ceftriaxone			X	X		X		X
Ciprofloxacin	[C]	(X) [U]						
Clindamycin	X				X		X	
Daptomycin	(X) [LR]							
Erythromycin	X	[C] (non-urines)		X			X	
Gentamicin	[C]							
Genamicin (HIGH)		[C] [U]						
Levofloxacin	[C]	(X) [U]		X				X
Linezolid	(X)	(X)						
Meropenem			X	(X)				(X)
Minocycline	[C]							
Moxifloxacin								
Nitrofurantoin [U]	X	X						
Oxacillin	X							
Penicillin	[C]	X	X	X	X	X	X	X
Quinpristin/Dalfopristin		[C]						
Rifampin	X	[C]						
Streptomycin (HIGH)		[C] (non-urines)						
Tetracycline	X	(X) [U]		X			(X)	X
Tigecycline	[C]							
Trim/Sulfa	X			X	(X)	X		X
Vancomycin	X	X					(X)	

FOOTNOTES:

(Note: Shaded boxes indicated drugs that were not tested and/or are not indicated for this organism)

X: Routinely Reported

(X): The drug is reported only when more narrow-spectrum drug(s) are non-susceptible, or the drug itself is non-susceptible.

[U]: Urine isolates only

[C]: Available for reporting upon consult

[LR]: Lower Respiratory isolates only